
FFW60

COOL flame 620MM INSERT




Tank capacity	3.0L
Maximum operation time	25 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:




FFW80

COOL flame 820MM INSERT




Tank capacity	3.7L
Maximum operation time	24.7 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:




FFW90




COOL flame 920MM INSERT

Tank capacity	4.2L
Maximum operation time	24.7 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm




Housing Size:




FFW100

COOL flame 1020MM INSERT




Tank capacity	4.7L
Maximum operation time	23.5 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:




FFW110




COOL flame 1120MM INSERT

Tank capacity	5.2L
Maximum operation time	17.3 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm




Housing Size:




FFW120

COOL flame 1220MM INSERT




Tank capacity	5.7L
Maximum operation time	19 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish


IN:mm



Housing Size:




FFW130




COOL flame 1320MM INSERT

Tank capacity	6.1L
Maximum operation time	15.3 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:




FFW140

COOL flame 1420MM INSERT




Tank capacity	6.4L
Maximum operation time	16 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:




FFW150

COOL flame 1520MM INSERT




Tank capacity	6.7L
Maximum operation time	16.8 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:




FFW180

COOL flame 1820MM INSERT




Tank capacity	7.8L
Maximum operation time	15.6 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:




FFW200

COOL flame 2020MM INSERT




Tank capacity	8.7L
Maximum operation time	14.5 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:




FFW230

COOL flame 2320MM INSERT




Tank capacity	10.7L
Maximum operation time	15.3 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:




FFW250

COOL flame 2520MM INSERT



Tank capacity	12L
Maximum operation time	15 hours
Heating function	does not apply
Flame height regulation	7 stages
Flame speed regulation	7 stages
Fuel	filtered tap water / distilled water
Power supply	100-240V, 50 Hz
Remote Control	YES
Finish	Black Electroplate Finish

IN:mm



Housing Size:

